



EMERGENCY ACTION PLAN

SPRING 2025



UNIVERSITY *of* ARKANSAS
FORT SMITH.®

CONTINGENCY PLAN

Quick Reference Guide

NAME / ORDER	DEPARTMENT	PHONE / EXT.
Samantha Gillespie Emergency Coordinator	Director of Environmental & Occupational Safety	479-788-7181 / 7181
Raymond Ottman 1st Alternate	Chief of Police	479-788-7110 / 7110
Director of Plant Operations 2nd Alternate	Director of Plant Operations	479-788-7188 / 7188
Rick Bynum 3rd Alternate	Assistant Director of Plant Operations	479-788-7177 / 7177
University Police Department 4th Alternate		479-788-7140 / 7140

Hazardous Waste Satellite Areas

Math-Science Building : 720 N.49th St.

Room Number and Hazardous Waste Material	Associated Hazard	Estimated Maximum Amount	Unique/Special Treatment
Room 120 & 240 Organic specimen waste in formaldehyde blend, or 45% isopropyl alcohol, or ward's safe	Acute Toxicity, Eye Irritation, Flammable, Skin irritation, Possible organ damage, respiratory irritation	4 – 6 5Gal buckets per year	
Room 331, 338, 335 Halogenated waste (iodine)	Acute Dermal Toxicity, Acute inhalation toxicity, Aquatic acute toxicity	1 5Gal bucket every other year	
Room 118, 234 Liquid chemical waste (non) halogenated	Skin irritant, Eye Irritant, Environmental hazard, corrosive	1 5gal bucket every other year	Liquid is combined benedicts solution, silver nitrate
Room 118, 234 Liquid chemical waste (non) halogenated	Flammable, carcinogenic, Environmental hazard, corrosive	1 5gal bucket every 5 years (maybe) to rid ourselves of old product	Liquid is combines of various cell dyes or reagent dyes
Room 331, 338, 335 Organic non-halogenated	Flammable, Acute Toxicity, Health Hazard, Irritant, Environment	10 gal/yr 3 gal/90 days	
Room 331, 338, 335 Organic halogenated	Flammable, Acute Toxicity, Health Hazard, Irritant, Environment	5 gal/yr 1 gal/90 days	
Room 338 Solid Waste (contains solvents too)	Flammable, Acute Toxicity, Health Hazard, Irritant, Environment	3 gal/yr 1 gal/90 days	
Room 331, 337 Heavy Metal Salts	Acute Toxicity, Health Hazard, Irritant, Environment, Corrosive, Oxidizer	200 g/yr	
Room 331, 338 Chromate Waste	Acute Toxicity, Health Hazard, Irritant, Environment, Corrosive, Oxidizer	1 L/yr 250 mL/90 days	

Hazardous Waste Satellite Areas (cont.)

Windgate Art & Design: 535 N. Waldron

Room Number and Hazardous Waste Material	Associated Hazard	Estimated Maximum Amount	Unique/Special Treatment
Room 114, 121, 220 Solvent wipes	Flammable	1/55 gallon drum/ mo	

Hazardous Waste Central Accumulation Area(s)

Plant Operations: 500 N. 51st

Room Number and Hazardous Waste Material	Associated Hazard	Estimated Maximum Amount	Unique/Special Treatment
Room 130 Any of the above wastes	Flammable, Acute Toxicity, Health Hazard, Irritant, Environment, Corrosive, Oxidizer	Any listed above amounts	Any above listed items

Table of Contents

Purpose and Scope.....	5
Building 911 Addresses	5
Evacuation Assembly Points.....	6
Tab 1 – Medical or Psychological Emergency	7
Tab 2 – Fire	8
Tab 3 – Criminal Behavior	9
Tab 4 – Suspicious Activity.....	9
Tab 5 – Utility Failure or Emergency	10
Tab 6 – Natural Disaster—Tornado.....	11
Best Sheltering Locations.....	12
Tab 7 – Natural Disaster—Winter Storms	13
Tab 8 – Natural Disaster—Earthquake	14
Tab 9 – Chemical or Radiation Spill	15
Tab 10 – Bomb Threat.....	16
Bomb Threat Call Checklist.....	17
Tab 11 – Suspicious Parcels and Letters	18
Tab 12 – Explosion.....	19
Tab 13 – Response to an Active Shooter/Hostile Intruder.....	20
Tab 14 – Hostage Situation.....	22
Tab 15 – Civil Disturbance.....	22
Appendix A – Building Emergency Map.....	23
Appendix B – Parking Lot Map.....	74
Appendix C – Outdoor Area Emergency Map.....	75

Purpose

This policy is designed to identify procedures and responsibilities in order to protect the general well being of the University of Arkansas – Fort Smith community and visitors.

Scope

This Emergency Action Plan is a campus-level plan that applies to all University of Arkansas – Fort Smith administrators, faculty, staff, students, and visitors.

The University Police Department is located at 425 N. 51st St. in the 51st Annex. They provide assistance and protection 24 hours a day, seven days a week on a year-round basis. They can be contacted at 479-788-7140.

UAFS Building 911 Addresses

1. 51st Annex – 425 N. 51st St., Fort Smith, AR 72903
2. Advancement Center – 5317 Grand Ave., Fort Smith, AR 72904
3. Baldor Technology Center – 5100 Kinkead Ave., Fort Smith, AR 72903
4. Ballman-Speer Building – 5200 Grand Ave., Fort Smith, AR 72903
5. Boreham Library – 813 N. Waldron Rd., Fort Smith, AR 72903
6. Breedlove Building – 5120 Grand Ave., Fort Smith, AR 72903
7. Business and Industrial Institute/Flanders Business Center – 5020 Grand Ave., Fort Smith, AR 72903
8. Drennen-Scott House – 231 N. 3rd St., Van Buren, AR 72956
9. Echols Building – 504 N. Waldron Rd., Fort Smith, AR 72903
10. Fullerton Administration Building – 5300 Grand Ave., Fort Smith, AR 72903
11. Gardner Building – 5316 Grand Ave., Fort Smith, AR 72903
12. Gym – 5004 Kinkead Ave., Fort Smith, AR 72903
13. Lion’s Den Dining Hall – 601-B N. Waldron Rd., Fort Smith, AR 72903
14. Lion’s Den North – 601-C N. Waldron Rd., Fort Smith, AR 72903
15. Lion’s Den South – 601-A N. Waldron Rd., Fort Smith, AR 72903
16. Math-Science – 720 N. 49th St., Fort Smith, AR 72903
17. Pendergraft Health Sciences Center – 715 N. Waldron Rd., Fort Smith, AR 72903
18. Plant Operations – 500 N. 51st St., Fort Smith, AR 72903
19. RAWC – 525 N. 51st St., Fort Smith, AR 72903
20. Sebastian Commons – 801 N. 49th St., Fort Smith, AR 72903
21. Smith-Pendergraft Campus Center – 800 N. 49th St., Fort Smith, AR 72903
22. Stubblefield Center – 532 N. Waldron Rd., Fort Smith, AR 72903
23. Sustainable Energy House – 1114 N. 52nd St., Fort Smith, AR 72904
24. Vines Building – 5310 Grand Ave., Fort Smith, AR 72903
25. Windgate Art and Design – 535 N. Waldron Rd., Fort Smith, AR 72903

Evacuation Assembly Points

After any evacuation, report to the designated evacuation assembly point for the building you are in. Notify UPD at 479-788-7140 of any person(s) still remaining in the building. Evacuation assembly points are also noted on the [building emergency maps](#) of Appendix A and are posted at the entrances/exits of every building.

1. [51st Annex](#) - Lot E northwest of the building
2. [Advancement Center](#) - Lot A north of the building
3. [Baldor Technology Center](#) - Lot F by Windgate Art and Design
4. [Ballman-Speer Building](#) - North Lawn
5. [Boreham Library](#) - Campus Green
6. [Breedlove Building](#) - Campus Green
7. [Business and Industrial Institute/Flanders Business Center](#) - North Lawn
8. [Drennen-Scott House](#) - Southeast Parking Lot
9. [Echols](#) - Southwest Lawn
10. [Fullerton Administration Building](#) - Campus Green
11. [Gardner Building](#) - North Lawn
12. [Gym](#) - Campus Green
13. [Lion's Den Dining Hall](#) - Campus Green
14. [Lion's Den North](#) - Campus Green
15. [Lion's Den South](#) - Campus Green
16. [Math-Science](#) - Campus Green
17. [Pendergraft Health Sciences Center](#) - Campus Green
18. [Plant Operations](#) - Lot Q north of the building
19. [RAWC](#) - Lot E south of the building
20. [Sebastian Commons](#) - Between Smith-Pendergraft Campus Center and Math-Science
21. [Smith-Pendergraft Campus Center](#) - Campus Green
22. [Stubblefield Center](#) - East side next to Crowder Field
23. [Sustainable Energy House](#) - Lot B south of the building
24. [Vines Building](#) - North Lawn
25. [Windgate Art and Design](#) - Lot F south of the building
26. [Center for Economic Development](#) - Hanna Oil and Gas (West), Food Truck Area (East)



MEDICAL OR PSYCHOLOGICAL EMERGENCY

- For any severe accident or incident, IMMEDIATELY GET ASSISTANCE. Call 911 to request assistance from emergency medical services (EMS).
- After placing the call to 911, notify UPD at 479788-7140.
- Be prepared to provide the following information the nature (type of injury and number of people involved) and location (building and specific room number) of the emergency. Calling from a university telephone automatically displays the building 911 address to the 911 dispatcher.)
- If possible, stay on the phone until released by the 911 or UPD dispatcher.



FIRE

- In case of fire, call 911 to alert the fire department.
- After placing the call to 911, notify UPD at 479-788-7140.
- Know the locations of fire exits in the building. Know the locations of fire extinguishers and alarm systems and how to use each. These locations are marked on the [building emergency maps](#).
- If the fire is in the beginning stage (small flame), immediately contact the Fort Smith Fire Department by dialing 911 and then call UPD. Promptly locate a fire extinguisher and direct the charge toward the base of the flame. If others are with you, have one person make the emergency call while another uses the fire extinguisher. Do not attempt to extinguish fires beyond the incipient stage (small or beginning).
- To use a fire extinguisher on a fire, follow the procedure of **PASS**: Pull, Aim, Squeeze, Sweep.
- For large fires, evacuate all rooms and, if possible, close all doors to confine the fire and reduce oxygen. Do not lock the doors. Do not jeopardize your safety or put yourself in harm's way.
- When the building evacuation alarm is sounded, be sure to follow the proper evacuation procedures.
 - Move quickly to the nearest marked exit, exit the building, and alert others to do the same.
 - Assist the disabled in exiting the building. Elevators should not be used in case of fire. Use an EvacChair if one is available.
 - Once outside, move to a clear area at least 500 feet away from the affected building(s). Report to the [evacuation assembly point](#) for the building. These are listed on the [building emergency maps](#) and at the entrances/exits of every building. Keep streets, fire lanes, hydrants, and walkways clear for emergency vehicles and crews.
 - Assist emergency crews as requested. An emergency operations center may be set up near the emergency site. Stay clear of this area unless you have official business there.
 - Do not return to the building until the "all clear" notice is given by UPD.
- If there is a fire, utilize the following recommendations.
 - Stay low to the floor and exit the building as quickly as possible.
 - Do not use elevators.
 - Cover your nose and mouth with a wet cloth or handkerchief.
 - When approaching a closed door, use the back of your hand to feel the lower, middle and upper parts of the door. (Never use the palm of your hand or fingers to test for heat.)
 - Do not touch the handle with your bare hand. Use a shirt or other piece of clothing to turn the handle.
 - If the door is not hot, open it slowly and ensure the fire and/or smoke is not blocking your escape route before continuing. Be prepared to crawl as smoke, poisonous gases, and heat rise.
 - If the door is hot, do not open it. Try to escape through a window. If you are on a high floor, hang a white or light-colored cloth or rag in the window to alert emergency responders of your location.
- If you become trapped in a building during a fire and have a cell phone, call 911. Try to make it to a room with a window to the outside. Give as much information to the dispatcher about your location as you can. Wave a light-colored cloth in the window to attract attention. **A window should only be broken if there is absolutely no other alternative to preserve life.** If the window can be opened, it should only be opened if the interior door to the room is sealed with wet towels, as to not create a draft. It should not be opened for extended periods, as doing so would fill the room with smoke. It may be opened periodically to try and attract attention by yelling for help and/or to let smoke out and fresh air in. If the room fills with smoke, crawl low under the smoke to breathe cleaner air.



CRIMINAL BEHAVIOR

- If you are a victim of or witness to any on-campus offense or if you observe a suspicious person on campus or a person with a weapon, promptly notify 911 or UPD at 479-788-7140.
- Do not put yourself in harm's way.
- Be prepared to provide the nature and location of the incident and a description of the person(s) and property involved.
- Be prepared to assist officers when they arrive by supplying them with additional information as requested.



SUSPICIOUS ACTIVITY

Suspicious activity should be reported to UPD at 479-788-7140.

- Report any attempts to test or conduct reconnaissance of security operations at critical infrastructure/key resource facilities, high profile venues, or sector-specific events.
- Report any persons showing an uncommon interest in security measures or personnel, entry points or access controls, or perimeter barriers such as fences or walls.
- Report any persons showing uncommon interest in photographing or videotaping critical infrastructure/key resource facilities, networks, or systems.
- Report any theft of or missing official university identification documents, keys, uniforms, credentials, or vehicles necessary for accessing critical infrastructure/key resource facilities or sector-specific events.
- Report all suspicious attempts to recruit employees or persons knowledgeable about key personnel or critical infrastructure/key resource facilities, networks, or systems.
- Report any theft, purchase, or suspicious means of obtaining plans, blueprints, alarm system schematics, or similar physical security-related or sensitive information related to a facility with critical infrastructure or key resource facilities and systems.
- Report any discovery of documents containing pictures or drawings of critical infrastructure/key resource facilities or systems.
- Report any persons near critical infrastructure/key resource facilities who do not fit the surrounding environment such as individuals wearing improper attire for conditions or those not normally in the area such as homeless persons, street vendors, demonstrators, or street sweepers. Valid personnel will have UAFS identification.
- Report the use of drones to UPD at 479-788-7140.



UTILITY FAILURE OR EMERGENCY

- In the event of a major utility failure or if there is potential danger to building occupants, notify Plant Operations immediately at 479-788-7171 or UPD at 479-788-7140.
- Follow the standard evacuation procedures if a building emergency exists.
 - Move quickly to the nearest marked exit, exit the building, and alert others to do the same.
 - Assist the disabled in exiting the building. Elevators are reserved for disabled persons to use, except in the case of fire.
 - Once outside, move to a clear area at least 500 feet away from the affected building(s). Evacuation assembly points are listed on the [building emergency maps](#). Keep streets, fire lanes, hydrants, and walkways clear for emergency vehicles and crews.
 - Assist emergency crews as requested. An emergency operations center may be set up near the emergency site. Stay clear of this area unless you have official business there.
 - Do not return to the building until the “all clear” notice is given by UPD.
- Always observe the following procedures if utility emergencies arise.
 - **Electrical/Light Failure** – Campus buildings may not provide sufficient illumination in corridors and stairs for safe exiting. Notify Plant Operations at 479-788-7171. If there is no answer or it is after 5 P.M., notify UPD at 479-788-7140.
 - **Elevator Failure** – If you are trapped in an elevator, use the emergency phone to notify UPD at 479-788-7140. If the elevator does not have an emergency phone, turn on the emergency alarm located on the front panel to signal for assistance.
 - **Natural Gas Leak** – Cease all operations. Do not switch on lights or any electrical equipment. Evacuate the building. Evacuation assembly points are listed on the [building emergency maps](#). Notify Plant Operations at 479-788-7171. If no one answers or it is after 5 P.M., notify UPD at 479-788-7140.
 - **Plumbing Failure/Flooding** – Cease using all electrical equipment and vacate the area. Notify Plant Operations at 479-788-7171. If no one answers or it is after 5 P.M., notify UPD at 479-788-7140.
 - **Ventilation Issue** – If smoke or other noxious odors are emitting from the ventilation system, cease all operations and vacate the area. Immediately call 911 and then UPD at 479-788-7140.



NATURAL DISASTER – TORNADO

TORNADO WATCH

Definition: Prevailing conditions could produce a tornado.

- Review actions to take should the situation change to a “Tornado Warning” or if a funnel cloud is sighted.
- Ensure no physical restrictions exist that would prevent free movement to your nearest best available shelter. Clear any blocked doors, aisles, etc.
- Do not phone UPD or the campus operator for information. Keep the phone lines clear for emergency messages.

TORNADO WARNING

Definition: Either a visual or radar sighting of a tornado in or threatening our area.

- UPD will contact the chancellor or their designee.
- Chancellor or designee will notify cabinet members.
- Cabinet members will notify persons within their departments to begin evacuating to the suggested shelter locations.
- Lions Alert will also be activated by appropriate personnel to ensure campus-wide notification.
- UPD will drive through campus and Sebastian Commons sounding the siren of the police vehicle to attract attention and direct persons to designated shelters.
- If the event occurs during the evening, night, or weekend hours, UPD will contact the Sebastian Commons staff member on duty to notify the resident assistants to evacuate the residents to the best available shelter areas. UPD will ensure shelter locations on campus are open.
- Take cover. Proceed to the nearest best available shelter. Do not use elevators. Stay away from windows and other glass. Avoid auditoriums and gymnasiums with large, poorly supported roofs.
- In multi-story buildings, move to the basement or ground level. Inner hallways are usually the safest areas.
- If you are in a frame or sheet metal building and weather conditions permit, move to a brick or stone building for added protection.
- Do not phone UPD or the campus operator for information. Keep the phone lines clear for emergency messages.
- If you cannot reach one of the best available shelter areas, go to the nearest building. Find an area away from windows, preferably one in the interior portion of the building, and use overhead cover (heavy desk, work table, or counter). **Remain there until emergency personnel declare the situation safe.**
- If you are caught outside away from any shelter, utilize the following suggestions.
 - Try to locate a depression in the ground, ditch, culvert, or other low area.
 - Cover your head and lie flat facing the ground.
 - If staying in your vehicle is the only option, stop, stay strapped in, and duck below the windows.
 - Before leaving your shelter area, wait until authorized personnel have declared the situation safe.

SUGGESTED SHELTER LOCATIONS

All First-Floor Areas

(Maps are posted at all entrances/exits and stairwells in all buildings.)

1. 51st Annex – Interior hallways without glass
2. Advancement Center – Interior hallways and rooms without glass
3. Baldor Technology Center – First-floor interior rooms and hallways without glass
4. Ballman-Speer Building – Interior rooms and hallways without glass
5. Boreham Library – Restrooms and interior rooms without windows
6. Breedlove Building – First-floor interior rooms and hallways without glass
7. Business and Industrial Institute/Flanders Business Center – Interior hallways and restrooms
8. Drenne-Scott House - Interior rooms without glass
9. Echols - Interior hallways and rooms without glass
10. Fullerton Administration Building – North wall restrooms and interior rooms without glass
11. Gardner Building – First-floor north hallway, restrooms, and interior rooms without glass
12. Gym – First-floor interior hallways and rooms without glass
13. Lion’s Den Dining Hall – Lion’s Den North or South buildings
14. Lion’s Den North – First-floor interior hallways
15. Lion’s Den South – First- floor interior hallways
16. Math-Science – First- floor interior rooms and hallways without glass
17. Pendergraft Health Sciences Center – First- floor restrooms and interior rooms without glass
18. Plant Operations – Interior restrooms and hallways without glass
19. RAWC – Locker rooms on the west wall
20. Sebastian Commons (emergency only, no time to evacuate) – Hallways of each unit, bathrooms
21. Smith-Pendergraft Campus Center – First-floor interior rooms without glass
22. Stubblefield Center – First-floor interior hallways and areas without glass
23. Sustainable Energy House – Interior rooms on lower level
24. Vines Building – Interior hallways and rooms without glass
25. Windgate Art and Design – Restrooms and interior rooms without glass



NATURAL DISASTER – WINTER STORMS

A winter storm watch means severe winter weather is possible. A winter storm warning means severe weather is expected. A traveler's advisory means that conditions may make driving difficult or dangerous.

- UAFS will remain open during severe winter storms. however, occasions may occur when weather-related conditions necessitate that the university announce a delayed arrival time, an early dismissal time, or remain open for essential personnel only.
 - Campus closing decision must be made no later than 11 P.M. the night before for day classes (those classes starting between 6 A.M. and 3:30 P.M.) and no later than 2 P.M. for evening classes (those classes starting 3:45 P.M. or later).
- Employees and commuting students must use their best judgment in determining their personal safety when traveling between home and campus.
 - An employee who arrives to work within two hours of their scheduled start time will be given credit for a full day's attendance.
 - An employee who is unable to get to work because of weather-related conditions even though the university is open may use annual leave, make up the time missed, or take the day without pay.
 - If classes have not been canceled, commuting students who feel it is unsafe to travel to campus must clear their absence or make up work with the instructors whose classes will be missed.
- Lion's Alert, the university web site, local radio stations, and television stations make regular announcements of any closure or work schedule changes due to weather or emergency conditions. Verify your contact information on Lion's Alert by clicking on the Lion's Alert tab in My.UAFS.
- During off-duty hours (9 P.M. to 6 A.M.), delayed openings or closing of the campus will be transmitted through news media, Lions Alert, and the university web site.



NATURAL DISASTER – EARTHQUAKE

- If indoors, seek refuge in a doorway or under a desk or table.
- Stay away from glass windows, shelves, and heavy equipment.
- If outdoors, move quickly away from buildings, utility poles, and other structures. **NOTE:** Always avoid power or utility lines as they may be energized.
- Know your evacuation assembly point and proceed there as soon as it is safe to do so. These are noted on the [building emergency maps](#) located at the entrances/exits of every building.
- If you are in an automobile, stop in the safest place possible, preferably away from power lines, trees, overpasses, and bridges. Stop as quickly as safety permits, but stay in the vehicle for the shelter it offers.
- After the initial shock, evaluate the situation. If emergency help is necessary, call emergency services at 911. Do not panic, but protect yourself at all times and be prepared for aftershocks.
- Report damaged facilities to Plant Operations at 479-788-7171. If no one answers or it is after 5 p.m., contact UPD at 479-788-7140. **NOTE:** Gas leaks and power failures create special hazards.
- If an emergency exists, activate the building alarm and report the emergency by phone to 911. After placing the call to 911, contact UPD at 479-788-7140.
- When the building evacuation alarm is sounded, be sure to follow the proper evacuation procedures.
 - Move quickly to the nearest marked exit, exit the building, and alert others to do the same.
 - Assist the disabled in exiting the building. Elevators should not be used in case of earthquake. Use an EvacChair if one is available.
 - Once outside, move to a clear area at least 500 feet away from the affected building(s). Evacuation assembly points are noted on the [building emergency maps](#). Keep streets, fire lanes, hydrants, and walkways clear for emergency vehicles and crews.
 - Assist emergency crews as requested. An emergency operations center may be set up near the emergency site. Stay clear of this area unless you have official business there.
 - Do not return to the building until the “all clear” notice is given by UPD personnel.



CHEMICAL OR RADIATION SPILL

- Report immediately any spill or leak of a hazardous chemical or radioactive material to 911.
- After placing the call to 911, notify UPD at 479-788-7140. Be prepared to provide the specific nature of the material involved and the exact location of the spill (building and specific room number).
- Move away from the spill and help keep others away from the material. Do not walk into or touch any of the spilled substance (this includes attempting to smell the substance for identification purposes). Try not to inhale gases, fumes, or smoke.
- Those who may be contaminated by the spill should avoid contact with others, remain in the vicinity, and provide necessary information to UPD. Specialized or trained authorities will conduct first aid and clean-up procedures as necessary.
- The key person (possibly the person reporting the spill or a staff/faculty member) at the spill site should evacuate the affected area. This person should also seal off the area to prevent further contamination until the arrival of UPD and personnel from the Department of Environmental Health and Safety.
- If a building emergency exists, activate the building alarm and report the emergency by phone to 911. After placing the call to 911, call the UPD at 479-788-7140.
- When the building evacuation alarm is sounded, be sure to follow the proper evacuation procedures.
 - Move quickly to the nearest marked exit, exit the building, and alert others to do the same.
 - Assist the disabled in exiting the building. Elevators are reserved for disabled persons to use except in the case of fire.
 - Once outside, move to a clear area at least 500 feet away from the affected building(s). Evacuation assembly points are noted on the [building emergency maps](#). Keep streets, fire lanes, hydrants, and walkways clear for emergency vehicles and crews.
 - Assist emergency crews as requested. An emergency operations center may be set up near the emergency site. Stay clear of this area unless you have official business there.
 - Do not return to the building until the “all clear” notice is given by UPD personnel.

NOTE: After any evacuation, report to the designated evacuation assembly point and notify UPD of any person(s) still remaining in the building. Evacuation assembly points are noted on the campus [building emergency maps](#).



BOMB THREAT

IMPORTANT: Do not touch any suspicious object or potential bomb!

- If you receive a threat by telephone, remain calm and attempt to obtain as much information as possible from the caller. Use the [Bomb Threat Call Checklist](#) as a guide.
- If possible, use the following checklist to capture the actual message and any other background information. The ideal situation is to record the conversation, if at all possible.
- Immediately call 911 and then notify UPD at 479-788-7140. Be prepared to give your name, your exact location (building and room number), your telephone number, the exact words of the threat, time you received the call, and any information regarding the location and time of the threat.
- If you receive a bomb threat by any other means than the telephone, call UPD directly at 479-788-7140. Examples of this type of threat include email, letter, a third-party threat, etc.
- Do not evacuate the building and do not sound the alarm. Wait for further instructions from law enforcement personnel.
- If you spot something out of the ordinary that appears suspicious, you should report it to UPD at 479-788-7140. Do not touch, tamper with, or move suspicious objects or confront persons acting suspiciously.
- Cease the use of all wireless transmission equipment (cellular phones, laptop computers, 2-way radios, tablets).
- If the building is evacuated, move as far from the building as possible at a minimum of 500 feet from the building. Evacuation assembly points are noted on the [building emergency maps](#). Keep the street, fire lanes, hydrants, and walkways clear for emergency vehicles and crews.
- Do not return to the building until the “all clear” notice is given by UPD personnel.
- In some cases, it will be necessary for law enforcement personnel to enlist persons from the affected building to assist in the identification of suspicious packages. Please assist emergency personnel as requested.

BOMB THREAT CALL CHECKLIST

Exact time of call: _____

Telephone number that the call came in on: _____

Exact words of the caller: _____

QUESTIONS TO ASK:

1. When is the bomb going to detonate?
2. Where is the bomb located?
3. What kind of bomb is it?
4. What does the bomb look like?
5. Why did you place the bomb at UAFS?
6. What will cause the bomb to detonate?
7. Where are you calling from?
8. What is your address?
9. What is your name?

CALLER'S VOICE (circle all that apply):

Male	Female	Calm	Distinguished	Nasal	Stutter
Slow (hard to put words together)			Angry	Broken	Giggling
Deep	Crying	Sincere	Rapid	Stressed	Slurred/Intoxicated
Normal	Accent	Excited	Loud		

If accent, type or national origin: _____

Is the voice familiar to you? who does it sound like? _____

Any background noise and what were they? _____

Name of person receiving the call: _____

Date of the call: _____

CALL 911 and THEN THE UPD IMMEDIATELY at 479-788-7140.



SUSPICIOUS PARCELS AND LETTERS

- Be wary of suspicious packages and letters.
- Be suspicious of letters or packages exhibiting a combination of the following characteristics:
 - no return address or one that is illegible or incorrect
 - excessive postage
 - postmark that does not match the return address
 - hand-written or poorly typed addresses
 - misspelling of common words
 - restrictive markings such as “confidential” or “personal”
 - unusual weight, odd shape, or indication of a substance inside the envelope
 - heavily taped exterior of the package or envelope
 - addressed to someone no longer with the organization or otherwise outdated
 - appearance that is stained or has a strange odor
- Do not open any letter or package that appears suspicious.
- Students, faculty, or staff who receive suspicious mail should contact UPD at 479-788-7140.
- If the contents of a letter or package cause concern after opening, call UPD at 479-788-7140 and utilize the following suggestions.
 - Leave the letter or package where it is or gently place it on the nearest flat surface.
 - Do not attempt to investigate the contents and do not allow unqualified personnel to handle the contents or packaging.
 - Wash your hands with soap and water or sanitizing gel if available.
 - Follow any other instructions given to you by UPD.



EXPLOSION

- Leave the building as soon as possible and activate the closest fire alarm.
- Do not stop to retrieve personal possessions or make phone calls.
- If objects are falling around you, get under a sturdy desk or table until the objects stop falling. Leave quickly, but watch out for weakened floors or stairs and more falling debris.
- If there is a fire, utilize the following recommendations.
 - Stay low to the floor and exit the building as quickly as possible.
 - Do not use elevators.
 - Cover your nose and mouth with a wet cloth or handkerchief.
 - When approaching a closed door, use the back of your hand to feel the lower, middle, and upper parts of the door. (Never use the palm of your hand or fingers to test for heat.)
 - Do not touch the handle with your bare hand. Use a shirt or other piece of clothing to turn the handle.
 - If the door is not hot, open it slowly and ensure the fire and/or smoke is not blocking your escape route before continuing. Be prepared to crawl as smoke, poisonous gases, and heat rise.
 - If the door is hot, do not open it. Try to escape through a window. If you are on a high floor, hang a white or light-colored cloth or rag outside of the window to alert emergency responders of your location.
- If you are trapped in debris, utilize the following recommendations.
 - Do not light a match.
 - Do not move about or kick up dust.
 - Cover your mouth with a handkerchief or clothing.
 - Rhythmically tap on a pipe or wall so emergency personnel can hear where you are.
 - Use a whistle if one is available.
 - Shout only as a last resort when you hear sounds and think someone will hear you. Shouting can cause the inhalation of dangerous amounts of dust.



RESPONSE TO AN ACTIVE SHOOTER/HOSTILE INTRUDER

DEFINITION: One or more subjects who participate in a random or systematic shooting spree or any other demonstration of their intent to continuously harm others.

Remain calm and remember the **Run, Hide, Fight** principles.

1. **RUN** and escape if possible.
 - Getting away from the shooter is the top priority.
 - Leave your belongings behind and get away.
 - Help others escape, if possible, but evacuate regardless of whether others agree to follow.
 - Warn and prevent individuals from entering an area where the active shooter may be.
 - When you are safe, call 911 and describe shooter, location, and weapons.

2. **HIDE** if escape is not possible.
 - Get out of the shooter's view and stay very quiet.
 - Silence all electronic devices and make sure they won't vibrate.
 - Lock and block doors, close blinds, and turn off lights.
 - Don't hide in groups. Spread out along walls or hide separately to make it more difficult for the shooter.
 - Try to communicate with police silently. Use text message or social media to tag your location, or put a sign in the window.
 - Stay in place until law enforcement gives you the all clear.
 - Your hiding place should be out of the shooter's view and provide protection if shots are fired in your direction.

3. **FIGHT** as an absolute last resort.
 - Commit to your actions and act as aggressively as possible against the shooter.
 - Recruit others to ambush the shooter with makeshift weapons such as chairs, fire extinguishers, scissors, books, etc.
 - Be prepared to cause severe or lethal injury to the shooter.
 - Throw items and improvise weapons to distract and disarm the shooter.

After the incident:

- Keep hands visible and empty.
- Know that law enforcement's first task is to end the incident may have to pass injured along the way. Officers may be armed with rifles, shotguns, and/or handguns and may use pepper spray or tear gas to control the situation.
- Officers will shout commands and may push individuals to the ground for their safety. Follow law enforcement's instructions and evacuate in the direction they come from unless instructed otherwise.
- Take care of yourself first, and then you may be able to help the wounded before first responders arrive.
- If the injured are in immediate danger, help get them to safety.
- Provide first aid while you wait for first responders to arrive. Apply direct pressure to wounded areas and use tourniquets if you have been trained to do so.
- Turn wounded people onto their sides if they are unconscious and keep them warm.
- Consider seeking professional help for you and your family to cope with the long-term effects of the trauma.

WHAT TO EXPECT FROM RESPONDING OFFICERS

- The first responding officers may be UPD or officers from other agencies.
- These officers may be dressed in different uniforms or civilian clothes and wearing an external bulletproof vest. Some officers may be dressed in Kevlar helmets and other tactical equipment.
- The officers may be armed with rifles, shotguns, or handguns and may use pepper spray or tear gas to control the situation.
- Do your best to remain calm and do exactly what officers tell you to do.
- Put down any bags, objects, or packages that you are carrying and keep your hands visible at all times.
- Provide officers with any details you may have regarding the identity or location of the subject(s).
- The first officers on the scene will not stop to aid the injured. Rescue teams will follow to provide medical assistance to any victims.
- Remember that once you have escaped to a safer location, the entire area is still a crime scene. You will have to remain at whatever assembly point authorities have designated, until you have been released.



HOSTAGE SITUATION

- If you are taken hostage, be patient. Time is on your side. Avoid drastic action.
- The initial 45 minutes are the most dangerous.
- **Follow instructions, be alert, and stay alive.**
- The captor may be emotionally disturbed. Do not make mistakes that could jeopardize your well being.
- Do not speak unless spoken to and then only when necessary. Do not talk down to the captor who may be in an agitated state.
- Avoid appearing hostile. Maintain eye contact with the captor when possible, but do not stare.
- Try to stay calm.
- Comply with instructions as best you can. Avoid arguments. Expect the unexpected.
- **Be observant.** You may be released or escape. The personal safety of others may depend on your memory.



CIVIL DISTURBANCE

- Do not attempt to intervene or confront any individuals involved in the disturbance.
- Immediately call 911 and relay the following information:
 - location of incident [Building 911 Addresses](#)
 - number of people involved in the disturbance
 - what group(s)/cause(s) the individuals are associated with (if known)
 - if the individuals are violent and/or threatening anyone
 - if any weapons involved and if so, what type(s)
- Follow the directions of emergency services personnel.
- Do not evacuate the building unless directed to do so by emergency services personnel.

Appendix A


Building Emergency Maps






1. [51st Annex](#)
2. [Advancement Center](#)
3. [Baldor Technology Center](#)
4. [Ballman-Speer Building](#)
5. [Boreham Library](#)
6. [Breedlove Building](#)
7. [Business and Industrial Institute/Flanders Business Center](#)
8. [Drennen-Scott House](#)
9. [Echols](#)
10. [Fullerton Administration Building](#)
11. [Gardner Building](#)
12. [Gym](#)
13. [Lion's Den Dining Hall](#)
14. [Lion's Den North](#)
15. [Lion's Den South](#)
16. [Math-Science](#)
17. [Pendergraft Health Sciences Center](#)
18. [Plant Operations](#)
19. [RAWC](#)
20. [Sebastian Commons](#)
21. [Smith-Pendergraft Campus Center](#)
22. [Stubblefield Center](#)
23. [Sustainable Energy House](#)
24. [Vines Building](#)
25. [Windgate Art and Design](#)

EMERGENCY INFORMATION

51st Annex

[Return to table of contents](#)




	Fire Extinguisher
	Fire Alarm Pull
	Phone
	Wheelchair Accessible Exit
	Narcan Kit

**Best Available Storm Shelter:
Interior Hallways without glass**

**Evacuation Assembly Point:
Lot E, Northwest of the Building**





-  Fire Extinguisher
-  Fire Alarm Pull
-  Wheelchair Accessible Exit
-  Narcan Kit

EMERGENCY INFORMATION


Advancement Center







[Return to table of contents](#)

Best Available Storm Shelter:
Interior hallways and rooms
without glass

Evacuation Assembly Point:
Lot A, North of the building





-  Fire Extinguisher
-  Fire Alarm Pull
-  Phone
-  Wheelchair Accessible Exit
-  Narcan Kit
-  Eyewash/Safety Shower

Best Available Storm Shelter:
 First floor interior rooms and
 hallways without glass

Evacuation Assembly Point:
 Lot F by Windgate Art & Design


 **Area of Rescue Assistance**
 located in 2nd floor stairwells




EMERGENCY INFORMATION

Baldor Building 1st Floor

[Return to table of contents](#)





	Fire Extinguisher
	Fire Alarm Pull
	Area of Rescue Assistance

**Best Available Storm Shelter:
First floor only**

**Evacuation Assembly Point:
Lot F by Windgate Art & Design**

EMERGENCY INFORMATION
 Baldor Building 2nd Floor
[Return to table of contents](#)





	Fire Extinguisher		Fire Alarm Pull
	Phone		

Best Available Storm Shelter:
Interior rooms and hallways
without glass

Evacuation Assembly Point:
North lawn

EMERGENCY INFORMATION
Ballman-Speer Building
[Return to table of contents](#)



-  Fire Extinguisher
-  Fire Alarm Pull
-  Phone
-  Wheelchair Accessible Exit
-  Narcan Kit


**Best Available Storm Shelter:
Restrooms and interior rooms
without windows**



**Evacuation Assembly Point:
Campus Green**

EMERGENCY INFORMATION

Boreham Library 1st Floor

[Return to table of contents](#)





-  Fire Extinguisher
-  Fire Alarm Pull





**Best Available Storm Shelter:
First floor only**

**Evacuation Assembly Point:
Campus Green**

EMERGENCY INFORMATION
Boreham Library 2nd Floor
[Return to table of contents](#)






-  Fire Extinguisher
-  Fire Alarm Pull
-  Wheelchair Accessible Exit
-  Narcan Kit



Best Available Storm Shelter:
 First floor interior rooms and
 hallways without glass

Evacuation Assembly Point:
 Campus Green

EMERGENCY INFORMATION
 Breedlove Auditorium
 1st Floor
[Return to table of contents](#)






-  Fire Extinguisher
-  Fire Alarm Pull
-  Wheelchair Accessible Exit

**Best Available Storm Shelter:
First floor only**

**Evacuation Assembly Point:
Campus Green**

EMERGENCY INFORMATION
 Breedlove Auditorium
 2nd Floor
[Return to table of contents](#)






**Best Available Storm Shelter:
Interior hallway and restrooms**

**Evacuation Assembly Point:
North lawn**

-  Fire Extinguisher
-  Fire Alarm Pull
-  Phone
-  Wheelchair Accessible Exit
-  Narcan Kit




EMERGENCY INFORMATION
Flanders-Business Industrial
Institute 1st Floor
[Return to table of contents](#)





**Best Available Storm Shelter:
First floor only**


**Evacuation Assembly Point:
North lawn**



-  Fire Extinguisher
-  Fire Alarm Pull
-  ADA Evacuation Chair

EMERGENCY INFORMATION
Flanders-Business Industrial
Institute 2nd Floor

[Return to table of contents](#)





-  Fire Extinguisher
-  Fire Alarm Pull


**Best Available Storm Shelter:
Interior rooms without glass**

**Evacuation Assembly Point:
Southeast parking lot**

EMERGENCY INFORMATION
 UAFS Drennen-Scott House
[Return to table of contents](#)





-  Fire Extinguisher
-  Fire Alarm Pull
-  Wheelchair Accessible Exit
-  Narcan Kit

Best Available Storm Shelter:
Interior hallways and rooms
without glass


Evacuation Assembly Point:
Southwest lawn



EMERGENCY INFORMATION

Echols 100 Building

[Return to table of contents](#)





	Fire Extinguisher
	Fire Alarm Pull

**Best Available Storm Shelter:
Building 100 only**


**Evacuation Assembly Point:
Southwest lawn**

EMERGENCY INFORMATION

Echols 200 Building

[Return to table of contents](#)






-  Fire Extinguisher
-  Fire Alarm Pull
-  Phone
-  Wheelchair Accessible Exit
-  Narcan Kit





Best Available Storm Shelter:
 North wall restrooms and interior
 rooms without glass

Evacuation Assembly Point:
 Campus Green

EMERGENCY INFORMATION
 Fullerton Building 1st Floor
[Return to table of contents](#)





-  Fire Extinguisher
-  Fire Alarm Pull
-  Phone
-  Wheelchair Accessible Exit

**Best Available Storm Shelter:
First floor only**

**Evacuation Assembly Point:
Campus Green**

EMERGENCY INFORMATION
Fullerton Building 2nd Floor
[Return to table of contents](#)




EMERGENCY INFORMATION
 Gardner Building 1st Floor
[Return to table of contents](#)

	Fire Extinguisher
	Fire Alarm Pull
	Wheelchair Accessible Exit
	Narcain Kit

Best Available Storm Shelter:
 First floor North hallway, restrooms,
 and interior rooms without glass

Evacuation Assembly Point:
 North lawn





EMERGENCY INFORMATION
 Gardner Building 2nd Floor
[Return to table of contents](#)

	Fire Extinguisher
	Fire Alarm Pull
	Wheelchair Accessible Exit
	ADA Evacuation Chair


**Best Available Storm Shelter:
 First floor only**

**Evacuation Assembly Point:
 Lot F by Windgate Art & Design**





**Best Available Storm Shelter:
Interior classroom**

 Fire Extinguisher

EMERGENCY INFORMATION
Gardner Building Basement
[Return to table of contents](#)

**Evacuation Assembly Point:
North lawn**



EMERGENCY INFORMATION


Gym/Writing Center


[Return to table of contents](#)

-  Fire Extinguisher
-  Fire Alarm Pull
-  Wheelchair Accessible Exit
-  Narcan Kit



Best Available Storm Shelter:
First floor interior hallway and
rooms without glass

Evacuation Assembly Point:
Campus Green






EMERGENCY INFORMATION
 Lion's Den Dining Hall
[Return to table of contents](#)

-  Fire Extinguisher
-  Fire Alarm Pull
-  Wheelchair Accessible Exit
-  Narcan Kit

**Best Available Storm Shelter:
 Lion's Den North or South buildings**

**Evacuation Assembly Point:
 Campus Green**






EMERGENCY INFORMATION

Lion's Den North Residence Hall
1st Floor


[Return to table of contents](#)

-  Fire Extinguisher
-  Fire Alarm Pull
-  Phone
-  Wheelchair Accessible Exit
-  Narcan Kit

**Best Available Storm Shelter:
First floor interior hallways**

**Evacuation Assembly Point:
Campus Green**








EMERGENCY INFORMATION

Lion's Den North Residence Hall
2nd Floor


[Return to table of contents](#)

	Fire Extinguisher
	Phone
	ADA Evacuation Chair

**Best Available Storm Shelter:
First floor interior hallways**

**Evacuation Assembly Point:
Campus Green**







EMERGENCY INFORMATION

Lion's Den North Residence Hall
3rd Floor


[Return to table of contents](#)

	Fire Extinguisher
	Phone

**Best Available Storm Shelter:
First floor interior hallways**

**Evacuation Assembly Point:
Campus Green**







EMERGENCY INFORMATION

Lion's Den North Residence Hall
4th Floor


[Return to table of contents](#)


	Fire Extinguisher
	Phone

Best Available Storm Shelter:
First floor interior hallways

Evacuation Assembly Point:
Campus Green





-  Fire Extinguisher
-  Fire Alarm Pull
-  Phone
-  Wheelchair Accessible Exit
-  Narcan Kit


Best Available Storm Shelter:
First floor interior hallways



Evacuation Assembly Point:
Campus Green

EMERGENCY INFORMATION
Lion's Den South Residence Hall
1st Floor

[Return to table of contents](#)






	Fire Extinguisher
	Phone



Best Available Storm Shelter:
First floor interior hallways

Evacuation Assembly Point:
Campus Green

EMERGENCY INFORMATION
Lion's Den South Residence Hall
2nd Floor
[Return to table of contents](#)





	Fire Extinguisher
	Phone


**Best Available Storm Shelter:
First floor interior hallways**



**Evacuation Assembly Point:
Campus Green**

EMERGENCY INFORMATION
Lion's Den South Residence Hall
3rd Floor

[Return to table of contents](#)






	Fire Extinguisher
	Phone

**Best Available Storm Shelter:
First floor interior hallways**

**Evacuation Assembly Point:
Campus Green**

EMERGENCY INFORMATION
Lion's Den South Residence Hall
4th Floor
[Return to table of contents](#)





-  Fire Extinguisher
-  Fire Alarm Pull
-  Wheelchair Accessible Exit
-  Narcan Kit
-  Eyewash/Safety Shower
-  Hazardous Materials
-  Spill Kit Station

Best Available Storm Shelter:
First floor interior rooms and hallways without glass

Evacuation Assembly Point:
Campus Green

EMERGENCY INFORMATION
Math-Science 1st Floor
[Return to table of contents](#)





	Fire Extinguisher
	Fire Alarm Pull
	Eyewash/Safety Shower
	ADA Evacuation Chair
	Hazardous Materials

**Best Available Storm Shelter:
First floor only**

**Evacuation Assembly Point:
Campus Green**

EMERGENCY INFORMATION
 Math-Science 2nd Floor
[Return to table of contents](#)






	Fire Extinguisher
	Fire Alarm Pull
	Eyewash/Safety Shower
	ADA Evacuation Chair
	Hazardous Materials
	Spill Kit Station

**Best Available Storm Shelter:
First floor only**

**Evacuation Assembly Point:
Campus Green**

EMERGENCY INFORMATION
 Math-Science 3rd Floor
[Return to table of contents](#)






EMERGENCY INFORMATION
 Pendergraft Health
 Sciences Center 1st Floor
[Return to table of contents](#)

-  Fire Extinguisher
-  Fire Alarm Pull
-  Wheelchair Accessible Exit
-  Eyewash/Safety Shower
-  AED/Narcan Location



**Best Available Storm Shelter:
 First floor restrooms and interior
 rooms without glass**

**Evacuation Assembly Point:
 Campus Green**






EMERGENCY INFORMATION
 Pendergraft Health
 Sciences Center 2nd Floor
[Return to table of contents](#)

-  Fire Extinguisher
-  Fire Alarm Pull



**Best Available Storm Shelter:
 First floor only**

**Evacuation Assembly Point:
 Campus Green**






EMERGENCY INFORMATION
 Pendergraft Health
 Sciences Center 3rd Floor
[Return to table of contents](#)







-  Fire Extinguisher
-  Fire Alarm Pull

**Best Available Storm Shelter:
 First floor only**

**Evacuation Assembly Point:
 Campus Green**






-  Fire Extinguisher
-  Fire Alarm Pull
-  Wheelchair Accessible Exit
-  Narcan Kit
-  Eyewash/Safety Shower
-  Hazardous Materials






Best Available Storm Shelter:
Interior restrooms and hallways without glass

Evacuation Assembly Point:
Lot Q, North of building

EMERGENCY INFORMATION
Plant Operations
[Return to table of contents](#)





-  Fire Extinguisher
-  Fire Alarm Pull
-  Phone
-  Wheelchair Accessible Exit
-  AED/Narcan Location

**Best Available Storm Shelter:
Locker rooms on West wall**


**Evacuation Assembly Point:
Lot E, South of the building**




EMERGENCY INFORMATION

Recreation and Wellness Center 1st Floor

[Return to table of contents](#)





	Fire Extinguisher
	Fire Alarm Pull
	AED/Narcan Location

**Best Available Storm Shelter:
Locker rooms on West wall**

**Evacuation Assembly Point:
Lot E, South of the building**

EMERGENCY INFORMATION

Recreation and Wellness
Center 2nd Floor



[Return to table of contents](#)



EMERGENCY INFORMATION

Sebastian Commons
Housing Office

[Return to table of contents](#)



	Fire Extinguisher
	Fire Alarm Pull
	Phone
	Wheelchair Accessible Exit
	Narcan Kit

**Best Available Storm Shelter:
Smith-Pendergraft Campus Center
Reynolds Room**


**Evacuation Assembly Point:
Between Smith-Pendergraft Campus
Center and Math Science building**



EMERGENCY INFORMATION






Smith-Pendergraft
Campus Center 1st Floor

[Return to table of contents](#)



Best Available Storm Shelter:
First floor interior rooms without glass

Evacuation Assembly Point:
Campus Green


 Fire Extinguisher	 Fire Alarm Pull
 Phone	 Wheelchair Accessible Exit
 Narcan Kit	



EMERGENCY INFORMATION

Smith-Pendergraft
Campus Center 2nd Floor

[Return to table of contents](#)








Best Available Storm Shelter:
First floor interior rooms without glass

Evacuation Assembly Point:
Campus Green

	Fire Extinguisher		Fire Alarm Pull
	Phone		Narcan Kit






-  Fire Extinguisher
-  Fire Alarm Pull
-  Wheelchair Accessible Exit
-  AED/Narcan Location

Best Available Storm Shelter:
First floor interior hallways and areas without glass

Evacuation Assembly Point:
East side next to Crowder Field


 Area of rescue assistance located on 2nd floor, room 225


EMERGENCY INFORMATION

Stubblefield Center
1st Floor

[Return to table of contents](#)







EMERGENCY INFORMATION



Sustainable Conservation House

[Return to table of contents](#)

Best Available Storm Shelter:
Interior rooms on lower level

Evacuation Assembly Point:
Lot B, South of the building




 Fire Extinguisher
 Wheelchair Accessible Exit






**Best Available Storm Shelter:
Interior rooms on lower level**

**Evacuation Assembly Point:
Lot B, South of the building**

EMERGENCY INFORMATION
Sustainable Conservation House
Lower Level
[Return to table of contents](#)





-  Fire Extinguisher
-  Fire Alarm Pull
-  Phone
-  Wheelchair Accessible Exit
-  Narcan Kit

**Best Available Storm Shelter:
Interior hallway and rooms
without glass**


**Evacuation Assembly Point:
North lawn**






EMERGENCY INFORMATION

Vines Building 1st Floor

[Return to table of contents](#)






-  Fire Extinguisher
-  Fire Alarm Pull
-  Phone
-  Wheelchair Accessible Exit
-  ADA Evacuation Chair

**Best Available Storm Shelter:
First floor only**

**Evacuation Assembly Point:
North lawn**

EMERGENCY INFORMATION
 Vines Building 2nd Floor
[Return to table of contents](#)





-  Fire Extinguisher
-  Fire Alarm Pull
-  Wheelchair Accessible Exit
-  Narcan Kit
-  Eyewash/Safety Shower
-  Hazardous Materials




Best Available Storm Shelter:
Restrooms and interior rooms
without glass

Evacuation Assembly Point:
Lot F, South of the building

EMERGENCY INFORMATION
Windgate Art & Design
1st Floor
[Return to table of contents](#)






	Fire Extinguisher
	Fire Alarm Pull
	Eyewash/Safety Shower




**Best Available Storm Shelter:
First floor only**

**Evacuation Assembly Point:
Lot F, South of the building**

EMERGENCY INFORMATION
Windgate Art & Design
2nd Floor
[Return to table of contents](#)





	Fire Extinguisher
	Fire Alarm Pull
	Eyewash/Safety Shower

**Best Available Storm Shelter:
First floor only**


**Evacuation Assembly Point:
Lot F, South of the building**

EMERGENCY INFORMATION

Windgate Art & Design
3rd Floor

[Return to table of contents](#)





-  Fire Extinguisher
-  Fire Alarm Pull
-  Wheelchair Accessible Exit
-  Narcain Kit
-  Area of Rescue Assistance

Best Available Storm Shelter:
Restrooms between Maple Room
and Cooler Room

Evacuation Assembly Point:
Hanna Oil and Gas to the West and
the food truck area to the East

EMERGENCY INFORMATION
Center for Economic Development
[Return to table of contents](#)




Appendix B Parking Lot Map



Appendix C

Area Emergency Maps

1. [Amphitheater](#)
2. [Crowder Field](#)
3. [Intramural Field](#)



Best Available Storm Shelter:
Boreham Library

Evacuation Assembly Point:
Campus Green

EMERGENCY INFORMATION

Amphitheater

[Return to table of contents](#)




EMERGENCY INFORMATION


Crowder Field

[Return to table of contents](#)

**Best Available Storm Shelter:
1st floor Stubblefield Center**

**Evacuation Assembly Point:
East lawn of Stubblefield Center**





EMERGENCY INFORMATION
Intramural Field
[Return to table of contents](#)

Best Available Storm Shelter:
Intramural Field restrooms

Evacuation Assembly Point:
North lawn of the park

